

Calvary Chapel Academy Presents  
**WARRIORS MUD BOG 2010**

Saturday, August 28<sup>th</sup>, 2010  
Gates open to Participants at 7:00am  
Gates open to the public at 9:00am  
Race begins at 10:00am

General Admission:  
Adults: **\$10** • Kids 5-12: **\$5**  
4 & under: **FREE**



**AUG**  
**28TH**

**Unlimited & Super Modified entry fee is \$80.00**

- 1<sup>st</sup> place \$500
- 2<sup>nd</sup> place \$300
- 3<sup>rd</sup> place \$200

**Modified, Super Stock & Stock entry fee is \$60.00**

- 1<sup>st</sup> place \$325
- 2<sup>nd</sup> place \$200
- 3<sup>rd</sup> place \$100
- 4<sup>th</sup> place \$60

Stock, 0-35 DOT  
Super Stock, 0-37 DOT  
Modified, 0-40 DOT  
Super Modified, 0-44 DOT  
Unlimited, open

Kids Zone  
Jumpers & Games  
Monster Truck Rides

Located at 19381 N Hwy 314, Belen NM

CCA Warrior Mud Bog 2010  
**Competition Registration Form**

Saturday, August 28th

Gates open at **7:00 am** for participants - Race starts at 10:00 am

Entry fee is made payable to CCA

2 Run format time permitting

1<sup>st</sup> run guaranteed, 2<sup>nd</sup> will be top ten in each class if necessary due to size of race field  
(Includes 2 pit passes)

Participant's Name \_\_\_\_\_

Participant's Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Phone Number \_\_\_\_\_ Other Phone \_\_\_\_\_

Email \_\_\_\_\_ Age of Participant \_\_\_\_\_

If Participant is under 18 yrs of age, please complete:

Parent/ Guardian Name (If Under the age of 18): \_\_\_\_\_

Parent /Guardian Address \_\_\_\_\_

Parent/Guardian Phone: \_\_\_\_\_

Make of Vehicle: \_\_\_\_\_ Year of vehicle: \_\_\_\_\_

Two Wheel or Four Wheel Drive: \_\_\_\_\_ Engine Size: \_\_\_\_\_

Tire Size \_\_\_\_\_

Insurance \_\_\_\_\_ Expiration date \_\_\_\_\_

Emergency Contact Name: \_\_\_\_\_

Emergency Contact Phone: \_\_\_\_\_

I agree to comply with the Warriors Mud Bog (WMB) Rules and Regulations for all events. I understand that WMB cannot assume responsibility for any aspect of my safety at any event and that if I participate in any way at such events, I do so voluntarily on my own assessment of my ability, the track, the facilities, and conditions, and in doing so assume all risks and injury or loss to my person or property which may result there from. I understand that there is no medical insurance provided by WMB, Calvary Chapel Academy or Calvary Chapel Rio Grande Valley.

Racing is a dangerous sport. I understand the risks to myself and others. I fully understand the above.

Participants Signature \_\_\_\_\_ Date: \_\_\_\_\_

If under 18 yrs: I understand that I must attend the day of the event for my child to participate.

Parent/Guardian Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Office use only

| Amt Paid: | Type of Payment: | Notes |
|-----------|------------------|-------|
|-----------|------------------|-------|



# ORDER THE DVD

Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_

Zip: \_\_\_\_\_ Phone: \_\_\_\_\_

Email: \_\_\_\_\_

Qty: \_\_\_\_\_ Amount paid: \_\_\_\_\_

# Warriors Mud Bog Competition

## Rules and Regulations

*All rules and regulations are subject to change. A mandatory driver's meeting will be held prior to the event, the morning of the race.*

### GENERAL CONDUCT AND SAFETY

All participants, their crew and guest will conduct themselves in a professional and sportsman like manner.

Represent your sport and yourself with pride.

Read and understand the rules, do not try to enter a class you are not legal in, cheating to win is not winning.

The race is in the mud. Approach and depart the pit in a safe intelligent manner.

**(5 MPH)** limit in the pit, watch for children. Be courteous and respectful of others.

**Have extraction chain securely fastened to rear of vehicle before race.**

Fire extinguisher required for all vehicles.

Class rule violations will result in forfeit of any and all winnings along with expulsion from the race and possibility of long term revocation of racing privileges.

First safety violation will result in a warning; second offense will result in expulsion from the race.

### SAFETY EQUIPMENT

ALL vehicles must be equipped with seat belts. All drivers & passengers must wear seat belts. All Drivers and passengers of vehicles must wear approved helmets during runs. Modified cab & open top vehicles must have a rollover protection, 4-point cage, minimum. All batteries must be properly secured. Relocated batteries must be properly secured & enclosed. Fire suits are required on any supercharged (other than factory) vehicles or any vehicle using nitrous oxide, alcohol, or nitro fuel additives. All vehicles must have a 3" or larger clevis or 3/8" or bigger chain loop securely fastened to rear frame with easy access for vehicle recovery.

### PIT SAFETY RULES

In order to ensure a safe event for all, all "Pit" rules apply. **ABSOLUTELY no alcohol consumption!** The speed limit for all drivers is 5 MPH. Violators will be escorted out with no refunds. ALL RULES & OFFICIAL'S DECISIONS ARE FINAL. Only those who have a "pit pass" are permitted in the pit area.

## **UNDER 18 PROVISIONS**

If you are under 18 years of age, your parent or legal guardian must attend the day of the event. **NO EXCEPTIONS.** A valid driver's license is required, no provisional licenses accepted.

## **FEES**

There are no refunds for any fees. Entry fee is \$80 for Unlimited and Super Modified classes, and \$60 for Modified, Super Stock, and Stock classes which includes 2 pit passes (Additional pit passes can be purchased for \$15).

**Truck cannot be entered in the same class twice with different drivers.**  
**Truck cannot be entered in more than one class.**

## **CLASSES BY TIRE SIZE**

- Stock, 0-35 DOT
- Super Stock, 0-37 DOT
- Modified, 0-40 DOT
- Super Modified, 0-44 DOT
- Unlimited, any tire size or type

See additional regulations by class in the pages that follow.

# STOCK RULES

## TIRES

0-35 DOT approved, no cut tires, no paddles

All studs and lug nuts must be in place and secure on all four wheels

## ENGINE

Uncapped exhaust allowed

OEM ignition and plug wires required

No nitrous oxide allowed

Aftermarket carburetor limited to 600 CFM max, no double pumpers

Factory block and heads only

3 bolt on type aftermarket products maximum (i.e. headers, manifold, chip, carburetor)

No solid or aftermarket roller camshafts

Pump gas only, no race fuel, diesels without turbo allowed

Engine must maintain 14" of vacuum at 1000 RPM, this will be verified on vehicles that technicians suspect may have aftermarket cam

## TRANSMISSION

OEM transmission only

OEM transfer cases only

OEM axles only

## BODY AND FRAME

Full stock body matching full stock frame

Full stock bed/box or functional flat bed required

Full interior and full OEM glass required

No fiberglass replacement parts

No engine or body swaps allowed

Radiator, battery, stock water pump and alternator required in stock location

Open top vehicles must have approved roll bar with roof protection

## SUSPENSION

No traction bars or ladder bars allowed lift kits ok

4 wheel hydraulic brakes required

## **SUPER STOCK RULES**

### **TIRES**

0-37 DOT approved, no cut tires, no paddles

All studs and lug nuts must be in place and secure on all four wheels

### **ENGINE**

Uncapped exhaust allowed

OEM ignition and plug wires required

No nitrous oxide allowed

Aftermarket carburetor limited to 650 CFM max, no double pumpers

Factory block and heads only

3 bolt on type aftermarket products maximum (i.e. headers, manifold, chip, carburetor)

No solid or aftermarket roller camshafts

Pump gas only, no race fuel

Engine must maintain 14" of vacuum at 1000 RPM, this will be verified on vehicles that technicians suspect may have aftermarket cam

Diesels allowed, OEM Turbo(s)

### **TRANSMISSION**

OEM transmission only

OEM transfer cases only

OEM axles or equivalent

### **BODY AND FRAME**

Full stock body matching full stock frame

Full stock box/bed or functional flat bed required

Full interior and full OEM glass required

No fiberglass replacement parts

No engine or body swaps allowed

Radiator, battery, stock water pump and alternator required in stock location

Open top vehicles must have approved roll bar with roof protection

### **SUSPENSION**

No traction bars or ladder bars allowed lift kits ok

4 wheel hydraulic brakes required

## **MODIFIED RULES**

### TIRES

0-40 DOT approved, no cut tires, no paddles

All studs and lug nuts must be in place and secure on all four wheels

### ENGINE

Max displacement 460 cubic inches

No aluminum heads or aluminum blocks allowed

Heads must be OEM

No magnetos

No nitrous oxide allowed

Single carburetor 750 CFM, double pumpers allowed

4 bolt on type aftermarket products maximum (i.e. headers, manifold, and carburetor)

Open headers allowed, must exit under and behind front tires, 4" maximum collector

Race fuel allowed, Gasoline only

Diesels allowed, modified turbo allowed

### TRANSMISSION

OEM style transmission only

No transmission brakes

3500 RPM maximum start speed

OEM style transfer cases only

Axle swaps allowed

### BODY AND FRAME

Full stock body, minor trimming of fenders for tire clearance allowed

Full stock box or functional flat bed required

Bumpers recommended

Full stock frame required, no extending or cutting of the frame

No fiberglass replacement parts allowed

Fuel cells and fuel tank relocation allowed

Open top vehicles must have approved roll bar with roof protection

### SUSPENSION

Lift kits ok

Ladder bars and traction bars allowed

4 wheel hydraulic brakes required

## **SUPER MODIFIED RULES**

### **TIRES**

0-44 DOT approved, no cut tires, no paddles

All studs and lug nuts must be in place and secure on all four wheels

### **ENGINE**

Max displacement 505 cubic inches

No blowers or turbochargers (except OEM diesels) allowed

No nitrous oxide allowed

Aluminum heads allowed, no aluminum blocks

Puller headers allowed (upright)

No limit on internal engine modifications

Race fuel allowed, Gasoline only, no alcohol or methane

Demons, predators, dominators, dual quads allowed

No after market fuel injection

### **TRANSMISSION**

Transmission brake allowed (requires trans shield or blanket)

OEM style transfer case, swaps allowed, no chain drives allowed

No converter stall limit

Driveshaft loops recommended

Axle swaps allowed

### **BODY AND FRAME**

Center drive location allowed

Body swaps allowed

Engine swaps allowed

Engine cannot be set back from stock location

Front axle must remain in original location

Radiator not required

Glass removal allowed

Cutting of fenders to clear tires allowed

Open top vehicles must have approved roll bar with roof protection

Fuel cells and fuel tank relocation allowed

Electric fan and pump allowed

Rear battery mounting allowed, but must be secure

Frame may not be lightened or structurally compromised

### **SUSPENSION**

Ladder bars, traction bars ok

3 and 4 link allowed

Steering gear may be changed, but must be safe

## UNLIMITED RULES

### TIRES

Any tire is acceptable, including paddles and tractor tires  
All studs and lug nuts must be in place and secure on all four wheels

### ENGINE

Max displacement 640 cubic inches  
Race fuel allowed, Gasoline only, no alcohol or methane  
No minimum engine setback, relocating allowed  
Engine swaps allowed  
No blowers or turbochargers allowed  
Nitrous oxide allowed  
Tunnel rams allowed  
Aluminum heads allowed, aluminum blocks allowed  
Aftermarket gasoline fuel injection allowed

### TRANSMISSION RULES

Transmission brake allowed (requires trans shield or blanket)  
Transmission blanket or shield required  
Standard transmission must have approved scatter shield, neutral safety switch recommended  
Chain drives allowed

### BODY AND FRAME

Aftermarket or custom frames allowed must pass safety inspection  
Front and rear driveline loops mandatory  
U-joint shields recommended on differentials  
Must have some type of body  
Must have firewall between driver and engine, fuel system, cooling system, and tires  
Open top vehicles must have roll bar with roof protection  
Roll bars recommended in all vehicles

### SUSPENSION

3 or 4 link, ladder bar, spring suspension allowed  
Adequate braking system required

### SAFETY, beyond all other safety requirements

Three point safety harness minimum  
Must have fire extinguisher on board and within reach  
No passengers  
Externally accessible kill switch recommended  
Fire Safety Suit